



915MHz FPC BUILT-IN ANTENNA

TECHNICAL DATA SHEET

TX915-FPC-8521





TX915-FPC-8521


NO.	MECHANICAL SPECIFICATIONS	VALUE	COMMENT
01	Part Number	TX915-FPC-8521	Omni Antenna
02	Material	FPC	
03	Connector Type	IPEX-1	
04	Antenna Colour	Black	
05	Overall Size	85*21mm	
06	Cable Length	140mm	Cable Customizable
07	Weight	1g	
NO.	ELECTRICAL SPECIFICATIONS	VALUE	COMMENT
01	Frequency	915MHz	860~940MHz
02	Antenna Gain	4dBi	
03	Radiation type	Omnidirectional	
04	Polarization	Linear	Vertical
05	Nominal Impedance	50Ω	
06	Max Input Power	2W	
07	S.W.R.	≤1.5	
NO.	ENVIRONMENTAL SPECIFICATIONS	VALUE	COMMENT
01	Operation Temperature	-30°C ~ +75°C	
02	Storage Temperature	-30°C ~ +75°C	
03	RoHS Compliant	YES	

MECHANICAL DRAWING




UNIT: mm

S.W.R.



SMITH



DISCLAIMER

In order to provide our users with better service, Chengdu Ziisor Technology Co., Ltd (hereinafter referred to as ziisor) will try to present as detailed and accurate product information as possible in this manual. However, due to the timeliness of the manual content, ziisor shall not absolutely guarantee the unlimited timeliness and applicability of the file. Ziisor has the right to update the manual content without further notice. To get the latest edition information, pls visit the official website of ziisor or contact our customer service staff. Thanks for your trust and support!

About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China



Chengdu Ebyte Electronic Technology Co., Ltd.