



868/915MHz FPC BUILT-IN ANTENNA

TECHNICAL DATA SHEET
TX900-FPC-4420





TX900-FPC-4420


NO.	MECHANICAL SPECIFICATIONS	VALUE	COMMENT
01	Part Number	TX900-FPC-4420	Omni Antenna
02	Material	FPC	
03	Connector Type	IPEX-1	
04	Antenna Colour	Black	
05	Overall Size	44*20mm	
06	Cable Length	150mm	
07	Lightning protection	DC Ground	
09	Wind Resistance	60m/s	
10	Weight	1g	
NO.	ELECTRICAL SPECIFICATIONS	VALUE	COMMENT
01	Frequency	868/915MHz	860~940MHz
02	Antenna Gain	3dBi	
03	Radiation type	Omnidirectional	
04	Polarization	Linear	Vertical
05	Nominal Impedance	50Ω	
06	Max Input Power	2W	
077	S.W.R.	≤1.5	
NO.	ENVIRONMENTAL SPECIFICATIONS	VALUE	COMMENT
01	Operation Temperature	-30℃ ~ +75℃	
02	Storage Temperature	-30℃ ~ +75℃	
03	RoHS Compliant	YES	

MECHANICAL DRAWING




UNIT: mm

S.W.R.



SMITH



About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China



Chengdu Ebyte Electronic Technology Co.,Ltd.