



成都亿佰特电子科技有限公司
Chengdu Ebyte Electronic Technology Co.,Ltd.

TX230-JK-11 Datasheet v1.0

Picture

TX230-JK-11



Physical parameter

TX230-JK-11

No.	Parameter item	Parameter details & Description
1	Model	TX230-JK-11
2	Size	Ø 10.0 * 110 mm
3	Average Weight	10 ± 1 g
4	Shape Feature	Flexible
5	Color	Black
6	Material	TPEE
7	Connector Type	SMA-J
8	Cable Length	-

Electrical parameter

TX230-JK-11

No.	Parameter item	Parameter details & Description
1	Frequency Range	225 ~ 237 MHz (Recommended 230 ± 5MHz)
2	Gain	2.5 dBi
3	SWR	≤ 1.5
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

Dimension

TX230-JK-11



Test report


TX230-JK-11

【Testing Instrument】 : Agilent E5071C


【Test address】 : Chengdu Ebyte Electronic Technology Co.,Ltd.

【Current Temperature】 : 26°C

【Title】 : Standing-wave ratio (SWR) test report by Agilent E5071C



【Title】 : Smith chart by Agilent E5071C



About us

TX230-JK-11



Chengdu Ebyte Electronic Technology Co., Ltd is a high-tech company, focus on wireless transmission. Our company owns a number of independent research & development products and obtain unanimously approved customers. With powerful R&D team, our company can provide customers with perfect After-sales service and technical assistance.



成都亿佰特电子科技有限公司
Chengdu Ebyte Electronic Technology Co.,Ltd.

【Website】 : www.cdebyte.com

【Technical Support】 : support@cdebyte.com

【eBay】 : stores.ebay.com/cdebyte

【Alibaba】 : cdebyte.en.alibaba.com

【Address】 : Innovation Center D347,4# XI-XIN road, High-tech district(West),Chengdu, Sichuan, China